

	Type	L #	Hits	Search Text	DBs
26	BRS	L26	11	"248"/\$ and (polyvinylchloride or pvc) with (fastening or fastener)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
27	IS&R	L27	2	("5080311").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
22	BRS	L22	2	"248"/\$ and (fastening or fastener) same (nylon near 6-6)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L23	11	"248"/\$ and (nylon near 6-6)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
24	BRS	L24	1590	"248"/\$ and (polyvinylchloride or pvc)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
25	BRS	L25	603	"248"/\$ and (polyvinylchloride or pvc) and (fastening or fastener)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
18	BRS	L18	35	"248"/\$ and (key near2 slot) and (pvc or nylon)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L19	504	"248"/\$ and (key) and (pvc or nylon)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L20	7	248/221.12 and (nylon or pvc or polyvinyl\$)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L21	1	248/221.12 and (polyvinylchloride or pvc)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
14	IS&R	L14	2	("6027085").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
15	IS&R	L15	2	("6820980").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
16	IS&R	L16	2	("4699076").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB
17	BRS	L17	0	248/211.11 and (pvc or nylon)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	141	248/183.3	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	8	("4063462" "4242917" "4276122" "5119305" "5212480" "5368271" "5897223" "6110337") .PN.	US- PGPUB; USPAT; USOCR
7	BRS	L7	13	("4955568") .URPN.	USPAT
8	IS&R	L8	7	("1439430") .PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
9	IS&R	L9	4	("3429543") .PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	307	(2/44) .CCLS .	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	IS&R	L2	268	(2/311) .CCLS .	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	3238	"248"/\$ and sensor	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	134	(248/123.11 or 248/124.1 or 248/125.2 or 248/125.7 or 248/177.1 or 248/178.1 or 248/179.1 or 248/183.3 or 248/183.1 or 248/183.4 or 248/187.1) and sensor	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B